


RapidRun Digital Application Diagram
High Speed HDMI (Supports HDMI specification 1.3)




High Speed HDMI (Supports HDMI spec. 1.3) – Diagram 1

System Lengths up to 35 feet

Source



Passive HDMI Lead	
1.5 ft	42409
3 ft	42410
6 ft	42411
10 ft	42412




Passive HDMI Wall Plate	
White	42419
Ivory	42420
Black	42421

Display



Passive Lead	
1.5 ft	42409
3 ft	42410
6 ft	42411
10 ft	42412



Passive HDMI Wall Plate	
White	42419
Ivory	42420
Black	42421

Runner Lengths

6 ft	42400
10 ft	42401
15 ft	42402
25 ft	42403
35 ft	42404




High Speed HDMI (Supports HDMI spec. 1.3) – Diagram 1

System Lengths up from 50 feet up to 100 feet

Source



Passive HDMI Lead	Part Number
1.5 ft	42409
3 ft	42410
6 ft	42411
10 ft	42412



Passive HDMI Wall Plate	Part Number
White	42419
Ivory	42420
Black	42421

Runner Lengths


50 ft	42405
65 ft	42406
75 ft	42407
100 ft	42408



Display




Active HDMI Lead	Part Number
6 ft	42417



Active Powered HDMI Wall Plate	Part Number
White	42224
Ivory	42226
Black	42227

Note: This wall plate comes with a power adapter and requires an external power source.

RapidRun Digital Application Diagram DVI (Single Link)




DVI (Single Link) – Diagram 1

System Lengths up to 25 feet

Source



Passive DVI Lead	
1.5 ft	40870
3 ft	40871
6 ft	40872
10 ft	40873




Passive DVI Wall Plate	
White	40858
Ivory	42426
Black	42225

Display



Passive DVI Lead	
1.5 ft	40870
3 ft	40871
6 ft	40872
10 ft	40873



Passive DVI Wall Plate	
White	40858
Ivory	42426
Black	42225


Runner Lengths	
6 ft	42400
10 ft	40883
15 ft	40859
25 ft	40860



DVI (Single Link) – Diagram 2

System Lengths from 35 feet up to 65 feet

Source



- Active DVI Wall Plate**
- White 40857
- Ivory 42197
- Black 42198

Runner Lengths


- 35 ft 40861
- 50 ft 42405
- 65 ft 40863



Display



- Passive DVI Lead**
- 1.5 ft 40870
- 3 ft 40871
- 6 ft 40872
- 10 ft 40873




- Passive DVI Wall Plate**
- White 40858
- Ivory 42426
- Black 42225

DVI (Single Link) – Diagram 3

System Lengths from 75 feet up to 100 feet

Source



Active DVI Wall Plate
White 40857
Ivory 42197
Black 42198

Runner Lengths
75 ft 40864
100 ft 40865



Display



Active DVI Lead
6 ft 42418

RapidRun Digital Usage Guide

HDMI (Supports HDMI specification 1.2)

Source



Passive



Passive

Display



If system length = 6 ft, 10 ft, 15 ft, or 25 ft:

See HDMI (Supports HDMI specification 1.2) – Diagram 1

If system length = 35 ft, 50 ft, or 65 ft:

See HDMI (Supports HDMI specification 1.2) – Diagram 2

Passive



Active



If system length = 75 ft or 100 ft:

See HDMI (Supports HDMI specification 1.2) – Diagram 3

Passive



Active




HDMI (Supports HDMI specification 1.2)

System Lengths up to 25 feet

Source



Passive HDMI Lead	
1.5 ft	40866
3 ft	42410
6 ft	40868
10 ft	40869




Passive HDMI Wall Plate	
White	40856
Ivory	42420
Black	42196

Display



Passive HDMI Lead	
1.5 ft	40866
3 ft	42410
6 ft	40868
10 ft	40869



Passive HDMI Wall Plate	
White	40856
Ivory	42420
Black	42196


HDMI (Supports HDMI specification 1.2)

System Lengths from 35 feet up to 65 feet

Source



Active HDMI Lead
6 ft 42125




Active HDMI Wall Plate
White 40855
Black 42194

Note: If an Active Ivory Wall Plate is required at the source side of the application refer customer to the High Speed HDMI system.

Display



Passive HDMI Lead
1.5 ft 40866
3 ft 42410
6 ft 40868
10 ft 40869



Passive HDMI Wall Plate
White 40856
Ivory 42420
Black 42196

Runner Lengths

35 ft 40861
50 ft 42405
65 ft 40863




HDMI (Supports HDMI specification 1.2)

System Lengths from 75 feet up to 100 feet

Source




Active HDMI Lead
6 ft 42125



Active HDMI Wall Plate
White 40855
Black 42194

Note: If an Active Ivory Wall Plate is required at the source side of the application refer customer to the High Speed HDMI system.

Display



Active Powered HDMI Wall Plate
White 42224
Ivory 42226
Black 42227

Note: This wall plate comes with a power adapter and requires an external power source.

Runner Lengths
75 ft 40864
100 ft 40865

