


# Kingston DataTraveler BlackBox

kingston.com/DTBlackBox

flash

## Protect data with FIPS 140-2 Level 2 certification and 100 percent privacy.



CERTIFICATE # 929

Protect your organization's portable data and comply with data-at-rest agency directives by choosing Kingston's new, ultra-secure DataTraveler® BlackBox USB Flash drive. It's FIPS 140-2 Level 2 certified and features 256-AES, hardware-based encryption, enforced complex password protection and device lockdown after a specified number of invalid attempts, to prevent brute force attacks. DataTraveler BlackBox is rugged and waterproof (up to 4 feet), with a titanium-coated, stainless steel casing for added data protection. And it's easy to set up and use, with no admin rights or application installation required.

DataTraveler BlackBox is backed by a five-year warranty, 24/7 tech support and legendary Kingston® reliability.

### Compatibility Table

Operating System	File Transfer
Windows® Vista™ (32-bit only)†	Yes
Windows XP (SP1, SP2)	Yes
Windows 2000 (SP3, SP4)	Yes

### Features/Benefits:

- **Full Privacy** – 100 percent of stored data is protected by 256-bit Advanced Encryption Standard (AES) hardware-based encryption
- **Fast** – data transfer rates of up to 24MB/sec. read and up to 20MB/sec. write\*
- **Secure** – drive locks down after 10 intrusion attempts
- **Enforced complex password protection** – password is user set with minimum characteristics to prevent unauthorized access
- **Easy to use** – no admin rights or application installation required

- **Customizable** – preload content, password length, maximum number of password attempts\*\*
- **Cologo available** – add your company's logo to increase brand recognition\*\*
- **Tamper evident** – tamper-evident coating/seal for physical security
- **Waterproof** – protected against water damage
- **Guaranteed** – five-year warranty with 24/7 customer support
- **Ruggedized** – waterproof and titanium-coated stainless steel casing

### Specifications:

- **Dimensions** – 3.06" x 0.9" x 0.47" (77.9mm x 22mm x 12.05mm)
- **Capacities\*\*\*** – 2GB, 4GB, 8GB
- **Compatibility** – designed to USB 2.0 specifications
- **Operating Temperature** – 32°F to 140°F (0°C to 60°C)
- **Storage Temperature** – -4°F to 185°F (-20°C to 85°C)
- **Minimum System Requirements:**
  - USB 2.0 compliant and 1.1 compatible
  - Two (2) free consecutive drive letters required for use††

### Kingston part numbers:

DTBB/2GB, DTBB/4GB, DTBB/8GB



\* Speed may vary due to host hardware, software and usage.

\*\* Minimum quantity required. Performed at the factory.

\*\*\*Please note: Some of the listed capacity is used for formatting and other functions and thus is not available for data storage. For more information, please consult Kingston's Flash Memory Guide at [kingston.com/Flash\\_Memory\\_Guide](http://kingston.com/Flash_Memory_Guide).

† Does not support ReadyBoost

†† First free drive letters after physical devices such as system partition, optical drives, etc.



©2008 Kingston Technology Corporation. 17600 Newhope Street, Fountain Valley, CA 92708 USA. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. Printed in the USA MKF-1441.1

